
# Overa-Aru Wildlife Sanctuary -An Overview

- Named after two villages of Overa & Aru located at its fringes
- Falls in District Anantnag of Kashmir province
- Overa forests used to be a hunting reserve of the erstwhile Maharaja.

Notified in 1987 vide SRO-154


164

• Area: 511 sq. km




### Comprises of 38 Forest compartments

- Spread over major catchment areas of Lidder river
- Villages Overa, Laddi, Dahwatoo, Khelan, Veersiran, Mamal, Mandlan and Aru located on the fringes



A host of Bio-geographic hot spots including lakes, glaciers and peaks are located within the sanctuary area:

- Tarsar
- Handilsar
- Dodhsar
- Chhumnaisar
- Kolhai Glacier



### Significance

Forms a catchment of Lidder River, a major tributary of Jehlum, which is a an important source of irrigation & drinking water for entire Anantnag district

#### > A repository of rich bio-diversity:

- ✓ 15 mammal species
- $\checkmark$  120 bird species
- $\checkmark$  20 butterfly species

#### > Distributory Range of Kashmir Red Deer or Hangul

 Breeding ground of eight species of Leaf Warblers (Trevor price, 1989)

### Flora

The type of vegetation is broadly Himalayan Moist Temperate and Himalayan Dry Temperate:

#### Riverian Vegetation: (1600-2300m ASL)

Blue Pine (*Pinus Wallichiana*), Horse Chestnut (*Aesculus indica*), Witch Hazel (*Parratiopsis jacquemontiana*)

#### Coniferous Forest: (1600-2300m ASL)

Blue Pine (Pinus Wallichiana), Fir (Abies pindrow), Spruce (Picea smithiana)

Alpine Scrubs and Pastures:(Beyond 3000-3500m ASL)
 Birch (Betula utilis), Juniper (Juniperous recuvra), Rhododendron

#### Shrubs

Viburnum, Lonicera, Primula, Stachya sericea, Sieversia elata, Veronica

### **Medicinal Plants**

Sr. No.	Scientific Name	Local Name	Trade Name	Part Used	Medicinal Property
01	Aconitum heterophyllum	Patis	Atis	Roots	Expels intestinal worms, anti-pyritic, anti-rheumatic
02	Arnebia benthamii	Kahzaban	Gaozaban	Leaves	Heart ailment, anti-pyritic
03	Artemisia absinthium	Tethwan	Tethwan	Whole Herb	Vermifuge, anti-pyritic, insect repellent
04	Berberis lycium	Kaoduch	Daruharidra		Anti-bacterial, anti- inflammatory
05	Bergenia lingulata	Zakhmihayat	Pashan Bed	Roots	Applied on wounds
06	Datura stramonium	Datur	Datur	Petals, Leaves	Anti-spasmodic, sedative, anti-cholinerjic
07	Dioscorea deltoidea	Krech	Shingli Mingli		Anti-inflammatory, anti- fertility
08	Lavatera cashmeriana	Sazposh	Sazumal	Roots	Urinary irritation, anti- phlogistic
09	Saussurea costus	Kuth	Kuth	Roots	Stomach craps, dysentery and joint pains
10	Taxus wallichina	Postul	Himalayan Yew	Leaves	Asthma, anti-pyritic

- IUCN Status:Critically Endangered
- J&K Wildlife Protection Act: Schedule I
- Indian Wildlife Protection Act: Schedule I

### Kashmir Red Deer or Hangul Cervus hanglu



- IUCN Status:
  Endangered
- J&K Wildlife Protection Act: Schedule I
- Indian Wildlife Protection Act: Schedule I

### Kashmir Muskdeer Moschus cupreus



- IUCN Status:
   Least Concern
- J&K Wildlife Protection Act: Schedule I
- Indian Wildlife Protection Act: Schedule I

### Asiatic Ibex Capra sibrica



- IUCN Status:Near Threatened
- J&K Wildlife Protection Act: Schedule I
- Indian Wildlife Protection Act: Schedule I

### Himalayan Serow Capricornis thar



# IUCN Status: Near Threatened

- J&K Wildlife Protection Act: Schedule I
- Indian Wildlife Protection Act: Schedule I

### **Common Leopard** *Panthera pardus*



IUCN Status:Least Concern

- J&K Wildlife Protection Act: Schedule II
- Indian Wildlife Protection Act: Schedule I

#### Asiatic Black Bear Ursus thibetanus



### Himalayan Brown Bear Ursus arctos

- IUCN Status:
   Least Concern
- J&K Wildlife Protection Act: Schedule I
- Indian Wildlife Protection Act: Schedule I



# Avifauna

- Overa-Aru Wildlife Sanctuary is an Important Bird Area (IBA) (now re-named as Important Bio-diversity Area)
- > 120 species of birds recorded
- One 'Endangered', One 'Vulnerable' and two 'Near Threatened'



### Egyptian Vulture Neophron percnopterus

### ENDANGERED

Perhaps the most widespread vulture of the old world

➤A long-lived & slow breeding bird

Usually solitary or in pairs with juveniles but very large numbers are seen at good feeding grounds

Resident in India, Nests mainly on cliffs, rocky

outcrops & old buildings

 Recorded from Jammu, Kashmir
 & Ladakh regions (summer visitor /passage migrant)

THREAT: Use of veterinary drug Diclofenac



### **Kashmir Flycatcher**

Ficedula subrubra

VULNERABLE



Endemic to the northwest Himalayas & breeds in Kashmir valley

Winters in Sri Lanka & parts of South India

Inhabits temperate mix deciduous forests with good under growth

Insectivorous & invariably nests in holes

THREAT: Habitat loss, anthropogenic pressures.

### European Roller Coracias garrulus

## NEAR THREATENED

Has an extensive breeding range in Europe, North Africa, Middle East, Central Asia & Northwest China

➢A passage migrant in northwest India, breeds only in Kashmir valley

Nests in tree hollows and mostly in bank holes

In J&K old and recent records from Anantnag

THREAT: Trapping for religious purposes, Pesticide pollution.



#### Tytler's Leaf-warbler Phylloscopus tytleri

A small bird endemic to the Indian sub-continent

➢ Has a very limited range in western Himalayas from northeastern Afghanistan to Kashmir

Recorded from Kashmir valley and Udhampur district in Jammu & Kashmir

THREAT: Anthropogenic pressure, grazing.

## NEAR THREATENED

